MATERIALS SCIENCE AND ENGINEERING A VOLUME 189, NUMBERS 1–2, DECEMBER 20, 1994

Contents

Comparison of fatigue behaviour of single crystals 1
P. Lukáš and L. Kunz (Brno, Czech Republic)

Fracture toughness of Al–4%Mg/Al_2O_3p composites 9
R. H. Pestes (Camus, WA, USA), S. V. Kamat and J. P. Hirth (Pullman, WA, USA)

Processing, microstructure, and elevated temperature mechanical properties of $MoSi_2$ containing $Er_2Mo_3Si_4$ and Er_2O_3 particles 15
D. K. Patrick (Ann Arbor, MI, USA) and D. C. Van Aken (Rolla, MO, USA)

Superplastic forming and the resulting mechanical properties of Ti–14wt.%Al–20wt.%Nb–3.2wt.%V–2wt.%Mo. 29
R. J. Lederich, J. L. McAfee and D. S. Schwartz (St. Louis, MO, USA)

Plasticity and anisotropy evolution in crystalline polymers 35
S. Ahzi (La Jolla, CA, USA), B. J. Lee (Taichung, Taiwan) and R. J. Asaro (La Jolla, CA, USA)

Fatigue crack propagation in 8090 Al–Li alloy—environmental effects 45
X. Chen and D. Tromans (Vancouver, BC, Canada)

Dissociated dislocations in the Peierls potential 61
G. Schoeck and W. Püschl (Vienna, Austria)

Probabilistic considerations of creep crack growth 69
R. P. Wei, D. Masser, H. Liu and D. G. Harlow (Bethlehem, PA, USA)

Loading mode dependence of deformation microstructure in a high-purity titanium single crystal oriented for difficult glide . . . 77
X. Tan, H. Gu, S. Zhang (Shaanxi, China) and C. Laird (Philadelphia, PA, USA)

Mechanism of crack propagation in low cycle fatigue of type 316L stainless steel within the temperature range 20–300 °C 85
M. R. Kalantary, T. E. Chung and R. G. Faulkner (Loughborough, UK)

High-temperature creep of Al–TiB_2 particulate composites. 95
A. B. Pandey, R. S. Mishra and Y. R. Mahajan (Hyderabad, India)

Axisymmetric stress distribution in the single filament pull-out test 105
M. Y. Quek and C. Y. Yue (Singapore, Singapore)

The strain-rate sensitivity of flow stress and strain-hardening rate in metallic materials 117
Y. Tirupataiah and G. Sundararajan (Hyderabad, India)

Microstructure and tensile properties of TiAl compounds formed by reactive foil metallurgy. 129
A. Jakob and M. O. Speidel (Zürich, Switzerland)

Characteristics of superplasticity domain in the processing map for hot working of an Al alloy 2014–20vol.%Al_2O_3 metal matrix composite. 137
B. V. Radhakrishna Bhat, Y. R. Mahajan (Hyderabad, India), H. Md. Roshan (Madras, India) and Y. V. R. K. Prasad (Bangalore, India)

Mechanical response of continuous fibre-reinforced Al_2O_3–Al composites produced by pressure infiltration casting. 147
C. McCullough, H. E. Deve (St. Paul, MN, USA) and T. E. Channel (Triadelphia, WV, USA)

Precipitation and surface segregation in low carbon steels. 155
D. Alaoua, S. Lartigue, A. Larere and L. Priester (Orsay, France)

Preparation of porous materials by bacterially enhanced corrosion of Fe in iron-titanium hot-pressed plates 165
J. P. Magnin, J. Garden, P. Ozil, C. Pathe, G. Picq, J. C. Poignet, S. Schoeffert and P. Vennereau (St. Martin d'Hères, France)

High deformation consolidation powder metallurgy processes for an Al–Li alloy composite 173
H. F. Lee, F. Boey, K. A. Khor (Singapore, Singapore) and T. Sano (Tsukuba, Japan)

Structural alterations of local damage in ball bearings subjected to rolling contact fatigue 181
S. Dorn, T. Hirsch and P. Mayr (Bremen, Germany)

CONTENTS (*continued*)

Self-accommodation and morphology of 14M (7R) martensites in an Ni–37.0at.%Al alloy 191
Y. Murakami, K. Otsuka (Ibaraki, Japan), S. Hanada and S. Watanabe (Sendai, Japan)

Powder processing of ductile-phase-toughened Nb–Nb_3Al *in situ* composites. 201
L. Murugesh, K. T. Venkateswara Rao and R. O. Ritchie (Berkeley, CA, USA)

Thermodynamic modelling of wetting at silicon nitride/Ni–Cr–Si alloy interfaces. 209
A. M. Hadian and R. A. L. Drew (Montreal, Que., Canada)

A differential scanning calorimetry study of solid state reactions in AA6061–SiC, AA6061–Al_2O_3 and A357–SiC composites fabricated by means of compocasting 219
C. García-Cordovilla, E. Louis, J. Narciso and A. Pamies (Alicante, Spain)

Recrystallization temperatures in mechanically alloyed oxide-dispersion-strengthened MA956 and MA957 steels. 229
T. S. Chou and H. K D. H. Bhadeshia (Cambridge, UK)

In situ transmission electron microscopy observation of the initiation and growth of microcracks in an SiC whisker–Al composite 235
Z. R. Liu, D. Z. Wang, C. K. Yao, J. Liu and L. Geng (Harbin, People's Republic of China)

Formation of highly elongated flakes by splat quenching droplets on a moving substrate at a small angle 241
K. Y. Shue and J. W. Yeh (Hsinchu, Taiwan)

Microstructure of vapour-quenched Ti–Mg alloys 247
C. M. Ward-Close (Farnborough, UK), G. Lu and P. G. Partridge (Bristol, UK)

Elevated-temperature mechanical behavior of plasma-sprayed $MoSi_2$–SiC 257
J. Wolfenstine, Y.-L. Jeng and E. J. Lavernia (Irvine, CA, USA)

Atomic ordering in the Ni–Cr–Fe system 267
A. Marucco (Cinisello Balsamo, Italy)

Observation and kinetic analysis of a metastable b.c.c. phase in rapidly solidified Ni–9at.%Zr and Ni–8at.%Zr–1at.%X alloys . . 277
G. Ghosh (Evanston, IL, USA)

The effect of the spatial distribution of reinforcement on the fabrication and heat treatment of (Al–4wt.%Cu)–SiC particle metal matrix composites. 285
I. C. Stone and P. Tsakiropoulos (Guildford, UK)

Evolution of microstructure in a rapidly solidified Al–Fe–V–Si alloy 291
W. J. Park, S. Ahn and N. J. Kim (Pohang, South Korea)

Initiation of surface cracks in multilayer ceramic thermal barrier coatings under thermal loads 301
K. Kokini and Y. R. Takeuchi (West Lafayette, IN, USA)

Sol–gel process for spinning of continuous $(Zr,Ge)O_2$ fibers 311
G. Emig (Erlangen, Germany), E. Fitzer and R. Zimmermann-Chopin (Karlsruhe, Germany)

Effect of ion implantation on thermal shock resistance of magnesia and glass 319
V. N. Guraria (Parkville, Vic., Australia), J. S. Williams and A. J. Watt (Canberra, Australia)

AUTHOR INDEX 327

SUBJECT INDEX 329